

Table of Contents

Application	#	Instruments used	Page
Geomorphology	A	RockSchmidt, Original Schmidt Age evaluation, relative age dating, exposure age estimation and prediction of weathering grade of rock and moraines as well as indication of ice- sheet thickness.	2
Rock Properties	B	RockSchmidt, Original Schmidt Correlating with uniaxial compressive strength, point load index, Young's modulus, rock mass strength, predicting elastic properties of intact rocks, rebound hardness consistency.	5
	C	Equotip Estimation of unconfined compressive strength, evaluation of strength reduction of weathered rock, field measurement of rock-surface strength, clast-size distribution of volcanic breccias, estimation of episodic exfoliation rates of rock sheets, rock hardness assessment in geomorphology.	6
	D	Pundit (Ultrasonic) Correlation of ultrasonic longitudinal wave speed with rock density, engineering properties of rock including uniaxial compressive strength and Young's modulus, relative surface ages of selected Alpine rock glacier, rock hardness and its relationship to limestone dissolution, shear wave propagation in rocks and other lossy media.	7
Special Properties of Rock	E	RockSchmidt, Original Schmidt Indexing rock for machine tunneling, predicting the saw ability of carbonate rocks mechanical rock properties, rock cutting machine performance prediction, predicting TBM penetration rates.	8

A - Geomorphologic Applications using RockSchmidt, respectively Original Schmidt

- A1 **Aa, A.R. & Sjøstad, J.A. (2000):** Schmidt hammer age evaluation of the moraine sequence in front of Bøyabreen, western Norway. *Norsk Geologisk Tidsskrift* 80, 27 - 32.
- A2 **Aa, R.A.; Sjøstad, J.; Sønstegeard, E. & Blikra, L.H. (2007):** Chronology of Holocene rockavalanche deposits based on Schmidt-hammer relative dating and dust stratigraphy in nearby bog deposits, Vora, inner Nordfjord, Norway. *The Holocene* 17, 955 – 964.
- A3 **Awasthi, D.D., Bali, R., Tewari, N.K., 2005:** Relative dating of moraines by lichenometric and Schmidt hammer techniques in the Gangotri Glacier valley, Uttarkashi District, Uttaranchal. Special Publication of the Palaeontological Society of India, vol. 2, pp. 201–206.
- A4 **Ayday, C. Goktan R. M., 1992:** Correlation between N-type and L-type Schmidt hammer rebound values obtaining during field testing, Eurock'92. Thomas Telford, London, pp. 47-50. Turkey
- A5 **Ballantyne, C.K., Black, N.M. & Finley, D.P. (1990):** Use of the Schmidt test hammer to detect enhanced boulder weathering under late lying snowpatches. *Earth Surface Processes and Landforms* 15, 471 - 474. UK
- A6 **Basu A, Aydin A. 2004:** A method for normalization of Schmidt hammer rebound values. *Int J Rock Mech Min Sci* 2004;41:1211–4. Hong-Kong
- A7 **Betts, M.W., Latta, M.A., 2000.** Rock surface hardness as an indication of exposure age: an archaeological application of the Schmidt hammer. *Archaeometry* 42, 209–223.
- A8 **Böhlert, R., Egli, M., Maisch, M., Brandová, D., Ivy-Ochs, S., Kubik, P.W. & Haeberli, W. (2011):** Application of a combination of dating techniques to reconstruct the Lateglacial and early Holocene landscape history of the Albul region (eastern Switzerland). *Geomorphology* 127, 1 – 13. (2010)
- A9 **Černá, B. & Engel, Z. (2011):** Surface and sub-surface Schmidt hammer rebound value variation for a granitic outcrop. *Earth Surface Processes and Landforms* 36, 170 – 179.
- A10 **Day, M.J. & Goudie, A.S. (1977):** Field assessment of rock hardness using the Schmidt test hammer. *British Geomorphological Research Group Technical Bulletin* 18, 19 - 29.
- A11 **Engel, Z. (2007):** Measurement and age assignment of intact rock strength in the Krkonoše Mountains, Czech Republic. *Zeitschrift für Geomorphologie N.F.* 51 Supplement 1, 69 – 80.
- A12 **Ericson, K., 2004.** Geomorphological surfaces of different age and origin in granite landscapes: an evaluation of the Schmidt hammer test. *Earth Surface Processes and Landforms* 29, 495–509. Sweden
- A13 **Evans, D.J.A., Archer, S. & Wilson, D.J.H. (1999):** A comparison of the lichenometric and Schmidt hammer dating techniques based on data from the proglacial areas of some Icelandic glaciers. *Quaternary Science Reviews* 18, 13 - 41.
- A14 **Frauenfelder, R.; Laustela, R. a. Kääb, A. (2005):** Relative age-dating of Alpine rock glaciers. *Zeitschrift für Geomorphologie N.F.* 49, 145 – 166. Switzerland
- A15 **Goudie, A.S. (2006):** The Schmidt Hammer in geomorphological research. *Progress in Physical Geography* 30, 703 – 718. UK
- A16 **Gupta, V.; Sharma, R. & Sah M.P. (2009):** An evaluation of surface hardness of natural and modified rocks using Schmidt hammer: study from northwestern Himalaya, India. *Geografiska Annaler* 91 A, 179 – 188.
- A17 **Hamry K.Y. De Marco, M.J. 1985:** Use of Schmidt hammer for rock and coal testing. Proc. 26 US Symp. on Rock Mech. 26 -28 June, Rapid City, Balkema, Rotterdam, pp. 549-555. USA
- A18 **Kellerer-Pirklbauer, A. (2008):** The Schmidt-Hammer as a relative age dating tool for rock glacier surfaces: examples from northern and central Europe. *Ninth International Conference on Permafrost Proceedings*, 913 – 918. Austria
- A19 **Kellerer-Pirklbauer, A. (2008):** Wie alt sind Blockgletscher in den Österreichischen Alpen? Das Beispiel der Blockgletscher im Dösener Tal, Ankogelgruppe, datiert mit Hilfe der Schmidt-Hammer Methode. *Alpine space – man & environment, vol.6: Klima im Wandel – 20.000 Jahre Klimaentwicklung in Österreich*, 65 – 76.
- A20 **Kellerer-Pirklbauer, A.; Wangensteen, B.; Farbrøt, H. & Etzelmüller, B. (2008):** Relative surface age-dating of rock glacier systems near Hólar in Hjaltadalur, Northern Iceland. *Journal of Quaternary Science* 23, 137 – 151. Austria
- A21 **Matsukura Y, Aoki H. 2004:** The Schmidt hammer: a brief review and some problems in geomorphology. *Transactions, Japanese Geomorphological Union* 25: 175 –196 (in Japanese with English abstract).
- A22 **Matthews, J.A. & Owen, G. (2008):** Endolithic lichens, rapid biological weathering and Schmidt hammer R-values on recently exposed rock surfaces: Storbreen glacier foreland, Jotunheimen, Norway. *Geografiska Annaler* 90 A, 287 – 297 UK.
- A23 **Matthews, J.A. & Owen, G. (2010):** Schmidt hammer exposure-age dating: development linear age-calibration curves using Holocene bedrock surfaces from the Jotunheimen- Jostedalbreen regions of southern Norway. *Boreas* 39, 105 – 115. UK

- A24 **Matthews, J.A. & Shakesby, R.A. (1984):** The status of the 'Little Ice Age' in southern Norway: a relative age dating of Neoglacial moraines with Schmidt hammer and lichenometry. *Boreas* 13, 333 - 346.(1253) UK
- A25 **Matthews, J.A. & Winkler, S. (2011):** Schmidt-hammer exposure-age dating (SHD): application to early-Holocene moraines and a reappraisal of the reliability of terrestrial cosmogenic-nuclide dating (TCND) at Austanbotnbreen, Jotunheimen, Norway. *Boreas* 40, 256 – 270. UK
- A26 **Matthews, J.A., Shakesby, R.A., Owen, G, & Vater, A.E. (2011):** Pronival rampart formation in relation to snow-avalanche activity and Schmidt-hammer exposure-age dating (SHD): three case studies from southern Norway. *Geomorphology* 130, 280 – 288. UK
- A27 **McCarroll, D. (1987):** The Schmidt hammer in geomorphology: five sources of instrument error. *British Geomorphology Research Group Technical Bulletin* 36, 16 - 27. UK
- A28 **McCarroll, D. (1989):** Potential and limitations of the Schmidt hammer for relative-age dating: field tests on Neoglacial moraines, Jotunheimen, southern Norway. *Arctic and Alpine Research* 21, 268 - 275. (1113)(1968) UK
- A29 **McCarroll, D. (1989):** Schmidt hammer relative-age evaluation of a possible pre-'Little Ice Age' Neoglacial moraine, Leirbreen, southern Norway. *Norsk Geologisk Tidsskrift* 69, 125 - 130.(1496)
- A30 **McCarroll, D. (1991):** Relative-age dating of inorganic deposits: the need for a more critical approach. *The Holocene* 1, 174 - 180. UK
- A31 **McCarroll, D. (1991):** The age and origin of Neoglacial moraines in Jotunheimen, southern Norway: new evidence from weathering-based data. *Boreas* 20, 283 - 295. UK
- A32 **McCarroll, D. (1991):** The Schmidt hammer, weathering and rock surface roughness. *Earth Surface Processes and Landforms* 16, 477 - 480. UK
- A33 **McCarroll, D. (1994):** The Schmidt Hammer as a measure of degree of rock surface weathering and terrain age. In Beck, C., ed., *Dating in exposed and surface contexts*, Albuquerque: University of New Mexiko Press, 29 - 45. UK
- A34 **McCarroll, D. & Nesje, A. (1993):** The vertical extent of ice sheets in Nordfjord, western Norway: measuring degree of rock surface weathering. *Boreas* 22, 255 - 265. Norway
- A35 **Nesje, A., McCarroll, D. & Dahl, S.O. (1994):** Degree of rock surface weathering as an indicator of ice- sheet thickness along an east-west transect across southern Norway. *Journal of Quaternary Science* 9, 337 - 347. Norway
- A36 **Nesje, A., Blikra, L.H. & Anda, E. (1994):** Dating rockfall-avalanche deposits from the degree of rock-surface weathering by Schmidt hammer tests: a study from Norangsdalen, Sunnmøre, Norway. *Norsk Geologisk Tidsskrift* 74, 108 - 113. Norway
- A37 **Niedzielski, T.; Migon, P. & Placek, A. (2009):** A minimum sample size required from Schmidt hammer measurements. *Earth Surface Processes and Landforms* 34, 1713 – 1725. Poland
- A38 **Owen, G.; Matthews, J.A. & Albert, P.G. (2007):** Rates of Holocene chemical weathering, 'Little Ice Age' glacial erosion and implications for Schmidt-hammer dating at a glacierforeland boundary, Fåbergstølsbreen, southern Norway. *The Holocene* 17, 829 – 834. UK
- A39 **Rode, M. & Kellerer-Pirklbauer, A. (2011):** Schmidt-hammer exposure-age dating (SHD) of rock glaciers in the Schöderkogel-Eisenhut area, Schladminger Tauern Range, Austria. *The Holocene* 22, 761 – 771.(2048) Austria
- A40 **Sachi Wakasa¹, Hiroyuki Matsuzaki², Yukiya Tanaka³, and Yukinori Matsukura¹, 2005:** Estimation of episodic exfoliation rates of rock sheets on a granite dome in Korea from cosmogenic nuclide analysis, 1: *Life and Environmental Sciences, University ofTsukuba. Ibaroki* 305~8572, japan, 2: *Iv11cro Analys1s Laboratory, Tandem Accelerator, the University of Tokyo, Tokyo* | 13~0032. Japan – 3: *Department of Geography, Kyunghee University, Seoul* 130~70 I, Korea
- A41 **Shakesby, R.A.; Matthews, J.A. & Winkler, S. (2004):** Glacier variations in Breheimen, southern Norway: relative-age dating of Holocene moraine complexes at six high-altitude glaciers. *The Holocene* 14, 899 - 910. UK
- A42 **Shakesby, R.A., Matthews, J.A. & Owen, G. (2006):** The Schmidt hammer as a relative-age dating tool and its potential for calibrated-age dating in Holocene glaciated environments. *Quaternary Science Reviews* 25, 2846 – 2867. UK
- A43 **Shakesby, R.A., Matthews, J.A., Karlén, W. & Los, S.O. (2011):** The Schmidt hammer as a Holocene calibrated-age dating technique: testing the form of the R-value-age relationship and defining the predicted-age errors. *The Holocene* 21, 615 – 628. Norway
- A44 **Tao Tang (1998):** Field Testing of Rock Hardness and its Relationship to Limestone Dissolution in Gulin, southern China, Department of geography and Planning, State university New York, USA
- A45 **Williams, R.B.G. & Robinson, D.A. (1983):** The effect of surface texture on the determination of the surface hardness of rock using the Schmidt Hammer. *Earth Surface Processes and Landforms* 8, 289 - 292. UK

- A46 **Winkler, S. (2000):** Der "Schmidt hammer" als geochronologische Methode - Anwendungsmöglichkeiten und Problematik aufgezeigt an Beispielen aus Neuseeland und Norwegen. *Trierer Geographische Studien* 23, 23 - 146. Germany
- A47 **Winkler, S. (2005):** The 'Schmidt hammer' as a relative-age dating technique: potential and limitations of its application on Holocene moraines in Mt Cook National Park, Southern Alps, New Zealand. *New Zealand Journal of Geology and Geophysics* 48, 105 – 116. New Zealand
- A48 **Winkler, S. (2009):** First attempt to combine terrestrial cosmogenic nuclide (^{10}Be) and Schmidt hammer relative-age dating: Strauchon Glacier, Southern Alps, New Zealand. *Central European Journal of Geosciences* 1, 274 - 290.
- A49 **Winkler, S. & Matthews, J.A. (2010):** Holocene glacier chronologies: are high-resolution global and inter-hemispheric comparisons possible? *The Holocene* 20, 1137 - 1147.
- A50 **Winkler, S. & Shakesby, R.A. (1995):** Anwendung von Lichenometrie und Schmidt-Hammer zur relativen Altersdatierung prä-frührezenter Moränen, am Beispiel der Vorfelder von Guslar-, Mitterkar-, Rofenkar- und Vernagtferner, Ötztaler Alpen, Österreich. *Petermanns Geographische Mitteilungen* 139, 283 – 304 Germany

B - Rock properties Applications using RockSchmidt, respectively Original Schmidt

- B1 **Aggistalis, G., Alivizatos, S., Stamoulis, D. and Stournaras, G. 1996:** Correlating uniaxial compressive strength with Schmidt hardness, point load index, Young's Modulus, and mineralogy of gabbros and basalts (northern Greece). *Bulletin of the International Association of Engineering Geology* 54, 3–11.
- B2 **Allison, R.J. and Goudie, A.S. 1990:** The form of rock slopes in tropical limestone and their associations with rock mass strength. *Zeitschrift für Geomorphologie* 34, 129–48. UK
- B3 **Amaral, P.M., Rosa, L.G., Fernandes J. C., 1999:** Determination of Schmidt hammer rebound hardness consistency in granite. *Int. J. Rock Mech. Min. Sci.* 36, 833-837, Portugal
- B4 **Ayday, C. Goktan R. M., 1992:** Correlation between N-type and L-type Schmidt hammer rebound values obtaining during field testing, Eurock'92. Thomas Telford, London, pp. 47-50. Turkey
- B5 **Aydin Adnan 2008:** ISRM suggested method for determination of the Schmidt hammer rebound hardness: Revision version, Department of Geology and Geological Engineering, The University of Mississippi,
- B6 **Aydin, A. Basu, 2005:** The Schmidt hammer in rock material characterization. Dep. Of Earth Science, University of Hong-Kong, Pokfulam Rd. Hong Kong China
- B7 **Aggistalis, G., Alivizatos, S., Stamoulis, D. and Stournaras, G. 1996:** Correlating uniaxial compressive strength with Schmidt hardness, point load index, Young's Modulus, and mineralogy of gabbros and basalts (northern Greece). *Bulletin of the International Association of Engineering Geology* 54, 3–11. Greece
- B8 **Bilgin, N., Dincer, T., Copur, H. 2002:** "The Performance of Impact Hammers From Schmidt Hammer Rebound Values in Istanbul Metro Tunnel Drivages" *Tunnelling and Underground Space Technology*, 2002, 17:237–247. Turkey
- B9 **Daniel A. Vellone, Charles Merguerian, 2007:** MEASURING ENGINEERING PROPERTIES OF NYC ROCKS USING A SCHMIDT REBOUNDED HAMMER – PRELIMINARY RESULTS, USA
- B10 **Dinçer, I., Acar, A., Cobangulu, I. and Uras, Y. 2004:** Correlation between Schmidt hardness, uniaxial compressive strength and Young's modulus for andesites, basalts and tuffs. *Bulletin of Engineering Geology and the Environment* 63, 141–48. Turkey
- B11 **Hack, R. and Huisman, M. 2002:** Estimating the intact rock strength of a rock mass by simple means. *Proceedings 9th Congress of the International Association for Engineering Geology and the Environment*, Durban, South Africa, 16–20 September 2002, 1971–77. UK
- B12 **Kahraman, S. 2001:** Evaluation of simple methods for assessing the uniaxial compressive strength of rock. *International Journal of Rock Mechanics and Mining Sciences* 38, 981–94, Turkey
- B13 **Karakus, M., Kumral, M. and Kilic, O. 2005:** Predicting elastic properties of intact rocks from index tests using multiple regression modelling. *International Journal of Rock Mechanics and Mining Sciences* 42, 323–30. USA
- B14 **Kolaiti E. and Papadopoulos Z. 1993:** Evaluation of Schmidt rebound hammer testing: a critical approach. *Bulletin of the Inter. Ass. of Engineering Geology.*, 1993, 48, 69-76. Greece
- B15 **Demirdag, S., Yavuz, H., Altindag, R., 2009:** The effect of sample size on Schmidt rebound hardness value of rocks. *International Journal of Rock Mechanics and Mining Sciences* 46, 725-30 Turkey
- B16 **Poole R. W. and Farmer I. W., 1980:** Consistency and repeatability of Schmidt Hammer rebound data during field testing. *Int. J. Rock Mech. Min. Sci. & Geomech. Abst.*, 1980, 17, 167-171. USA
- B17 **Sachpazis, C.I., 1990:** Correlating Schmidt hardness with compressive strength and Young's modulus of carbonate rocks. *Bull. Int. Assoc. Eng. Geol.* 42, 75-83 Greece
- B18 **Sendir, H. 2002:** Correlation of Schmidt hardness with unconfined compressive strength and Young's modulus in gypsum from Sivas (Turkey). *Engineering Geology* 66, 211–19. Turkey
- B19 **Shorrey, P.R., Barat D., Das M.N. Mukherjee K.P., Singh B., 1984:** Schmidt hammer rebound data for estimation large scale in situ coal strength. *Int. J. Rock Mech. Min. Sci., Geo. Mech. Abstr.* 21, 39-42. India
- B20 **Sumner P., Nel W., 2002:** The effect of moisture on Schmidt hammer rebound: Test on rock samples from Marion island and South Africa. *Earth Surf. Process Landf.* 27, 1137-1142
- B21 **Yilmaz I., Sendir H., 2002:** Correlation of Schmidt hardness with unconfined compressive strength and Young's modulus in gypsum from Sivas (Turkey). *Engineering Geology* 66, 211–19. Turkey
- B22 **Yagiz, S., 2009:** Predicting uniaxial compressive strength, modulus of elasticity and index properties of rocks using the Schmidt hammer. *Bulletin of Engineering Geology and Environment* 68, 55-63 Turkey

C - Rock properties Applications using mainly Equotipo

- C1 **Aoki H, Matsukura Y. 2004a:** Relationship between the equotip rebound value and unconfined compressive strength of intact rock sample. *Transactions, Japanese Geomorphological Union* 25: 267-276 (in Japanese with English abstract). Japan
- C2 **Aoki H, Matsukura Y. 2004b:** Evaluation of strength reduction of weathered Aoshima sandstone using an Equotip rebound hardness tester. *Transactions, Japanese Geomorphological Union* 25: 371-382 (in Japanese with English abstract). Japan
- C3 **Aoki H, Matsukura Y. 2006:** A new technique for non-destructive field measurement of rock-surface strength: an application of the Equotip hardness tester to weathering studies. *Earth Surface Processes and Landforms* 32: 1759–1769. Japan
- C4 **Aoki H, Matsukura Y. 2008a:** Estimating the unconfined compressive strength of intact rocks from Equotip hardness. *Bulletin of Engineering Geology and the Environment* 67(1): 23–29. Japan
- C5 **Atsushi Saotome^{a,*}, Ryunoshin Yoshinaka^b, Masahiko Osada^b, Hiroyasu Sugiyama^a 2000:** Constituent material properties and clast-size distribution of volcanic breccia
a: Civil Engineering and Architecture Department, Electric Power Development Co., Ltd, 6-15-1, Ginza, Chuo, Tokyo 104-8165, Japan, b: Department of Civil and Environmental Engineering, Saitama University, 255 Shimo-Ohkubo, Urawa, Saitama 338-8570, Japan
- C6 **Asef MR., 1995:** Equotip as an index test for rock strength properties. M.Sc. thesis, ITC Delft, 1995. Netherlands
- C7 **Hisashi Aoki* and Yukinori Matsukura, 2006:** A new technique for non-destructive field measurement of rock-surface strength: an application of the Equotip hardness tester to weathering studies *Life and Environmental Sciences, University of Tsukuba, Tsukuba, Ibaraki, Japan*
- C8 **Hack H.R.G.K., Hingera E., Verwaal W. (1993):** Determination of discontinuity wall strength by Equotip and ball rebound tests. *Int. Journal Rock Mechanics, Mining Sciences & Geomechanical Abstr.* 30 (2), pp. 151 - 155. Netherlands
- C9 **Hack R., Huisman M., 2002:** ESTIMATING THE INTACT ROCK STRENGTH OF A ROCK MASS BY SIMPLE MEANS Netherlands
- C10 **ISRM, 1978:** Suggested Method for determination of the Schmidt Rebound hardness (part 3) and Suggested Methods for determination of the Shore Scleroscope hardness (part 4). *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.* 15, 95-97 (1978). USA
- C11 **Kawasaki S, Tanimoto C, Koizumi K, Ishikawa M. 2002.** An attempt to estimate mechanical properties of rocks using the Equotip Hardness tester. *Journal of Japan Society of Engineering Geology* 43: 244–248 (in Japanese with English abstract). Japan
- C12 **Meulenkamp F., Alvarez Grima M., 1998:** Application of neural networks for the prediction of the unconfined compressive strength (UCS) from Equotip hardness Section Engineering Geology, Department of Applied Earth Sciences, Faculty of Civil Engineering, Delft University of Technology, Delft, Netherlands
- C13 **Sachi Wakasa, 1* Hiroyuki Matsuzaki, 2 Yukiya Tanaka 3 and Yukinori Matsukura, 2005:** Estimation of episodic exfoliation rates of rock sheets on a granite dome in Korea from cosmogenic nuclide analysis 1: Life and Environmental Sciences, University of Tsukuba. Ibaraki 305–8572, Japan, 2: I-111CRO Analysis Laboratory, Tandem Accelerator, the University of Tokyo, Tokyo I 13–0032. Japan, 3: Department of Geography, Kyunghee University, Seoul 130–701, Korea
- C14 **Shalabi FI, Cording EJ, Al-Hattamleh OH. 2007:** Estimation of rock engineering properties using hardness tests. *Engineering Geology* 90: 138–147 Saudi Arabia.
- C15 **Verwaal W., Mulder A., 1993:** Technical Note, Estimating Rock strength with the Equotip hardness tester *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.* Vol. 30, No. 6, pp. 659-662, 1993 Netherlands
- C16 **Viles H., Goudie A., Grab S., Lalley J., 2010 :** The use of the Schmidt Hammer and Equotip for rock hardness assessment in geomorphology and heritage science: a comparative analysis. University of Oxford, Oxford, UK 2 University of the Witwatersrand, Johannesburg, South Africa, EARTH SURFACE PROCESSES AND LANDFORMS *Earth Surf. Process. Landforms* 36, 320–333 (2011) USA

D - Rock properties Applications using Ultrasonic

- D1 **Berezkin V M and Mikhaylov I N 1964:** On the correlational relationship between the density of rocks and their velocities of elastic wave propagation for the central and eastern regions of Russian platform, *Geo z; Razvedka* 1683{91.
- D2 **Chary K.B., Sarma L.P., Prasanna Lakshmi K.J., Vijayakumar N.A., Naga V. Lakshmi, Rao M.V.M.S., 2006:** Evaluation of Engineering Properties of Rock Using Ultrasonic Pulse Velocity and Uniaxial Compressive Strength National Geophysical Research Institute, Hyderabad-500 007, Proc. National Seminar on Non-Destructive Evaluation Dec. 7 - 9, 2006, Hyderabad India
- D3 **Gaviglio P 1989:** Longitudinal wave propagation in a lime- stone: the relationship between velocity and density; *Rock Mech. and Rock Eng.* 22 299{306. Inoue M and Ohomi M 1981 Relation between uniaxial compressive strength and elastic wave velocity of soft rock; *Int. Conf. Weak Rock Tokyo* 9{13. Japan
- D4 **Frauenfelder, R., Laustela, M. and Kääb, A. 2004:** Velocities and relative surface ages of selected Alpine rockglaciers. *Mitteilungen der Versuchsanstalt für Wasserbau, Hydrologie und Glazialogie an der ETH Zurich* 184, 103–18. Switzerland
- D5 **GARDNER, G.H.F., GARDNER, L.W. and GREGORY, A.R., 1974:** Formation velocity and density: The diagnostic basis for stratigraphic. *Geophysics*, 1974, vol. 39, pp. 770–780. USA
- D6 **GAVIGLIO, P., 1989:** Longitudinal waves propagation in a limestone: The relationship between velocity and density. *Rock Mech. Rock Eng.*, 1989, vol. 22, pp. 299–306. France
- D7 **GLADWIN, M.T., 1982:** Ultrasonic stress monitoring in underground mining. *Int. J. Rock Mech. Min. Sci.*, 1982, vol. 19, pp. 221–228. Australia
- D8 **HUDSON, J.A., JONES, E.T.W. and NEW, B.M., 1980:** P-wave velocity measurements in a machine bored chalk tunnels. *Q. J. Eng. Geol.*, 1980, vol. 13, pp. 33–43. UK
- D9 **INOUE, M. and OHOMI, 1981:** M., Relation between uniaxial compressive strength and elastic wave velocity of soft rock. *Proc. Int. Sym. on Weak Rock*, Tokyo, 1981, pp. 9–13. Japan
- D10 **Kahraman S., Ulker U., Delibalta M. S., 2007:** A quality classification of building stones from P-wave velocity and its application to stone cutting with gang saws *The Journal of The Southern African Institute of Mining and Metallurgy* volume 107 refereed paper June 2007 South Africa
- D11 **Rao M.V.M.S., Sarma L.P., Prasanna Lakshmi K.J., 2002:** “Ultrasonic pulse broadening and attenuation in volcanic rock- A case study”, *Ind. J. Pure. & Appl. Phys.*, 40, 396- 401, 2002. India
- D12 **Rao M.V.M.S., Prasanna Lakshmi K.J., 2003:** “Shear wave propagation in rocks and other lossy media: An experimental study”, *Curr. Sci.*, 85(8), 1221-1225, 2003. India
- D13 **Singh T N and Dubey R K 2000:** A study of transmission velocity of primary wave (p-wave) in coal measure sand- stone, *Ind. J. Sci. Ind. Res.* 59 482{486. India
- D14 **Singh T N, Kanchan R, Saigal K and Verma A K 2004:** Prediction of p-wave velocity and anisotropic properties of rock using arti cial neural networks technique, *J. Sci. and Ind. Res.* 63 32{38. India
- D15 **Singh T. N., Kanchan R., Verma A. K., Saigal K., 2005:** A comparative study of ANN and Neuro-fuzzy for the prediction of dynamic constant of rockmass. *1Department of Earth Sciences, Indian Institute of Technology, Powai, Mumbai 400 076, India. J. Earth Syst. Sci.*, 114, No. 1, February 2005, pp. 75{86 India
- D16 **Tao Tang (1998):** Field Testing of Rock Hardness and its Relationship to Limestone Dissolution in Gulin, southern China, Department of geography and Planning, State university New York, USA
- D17 **YASAR, E. and ERDOGAN, Y., 2004:** Correlating sound velocity with the density, compressive strength and Young’s modulus of carbonate rocks. *Int. J. Rock Mech. Min. Sci.*, 2004, vol. 41, pp. 871–875. Turkey

Quality classification of stones for cutting with gang saws

E - Special properties of Rock using RockSchmidt respectively Original Schmidt

- E1 **Deere, D. U., 1970:** Indexing Rock for Machine Tunneling, Society of Mining, Engineers of the American Institute of Mining, Metallurgical, and Petroleum Engineers, Inc., Rapid Excavation--Problems and Progress, Proc. of the Tunnel and Shaft Conf., Minneapolis, Minn., 5/15-17/68, pp. 32-38, 1970. USA
- E2 **Kahraman, S., Fener, M. and Gunayidin, O. 2004:** Predicting the sawability of carbonate rocks using multiple curvilinear regression analysis. *International Journal of Rock Mechanics and Mining Sciences* 41, 1123–31. Turkey
- E3 **Katz, O., Reches, Z., Roegiers, J-C., 2000:** "Evaluation of Mechanical Rock Properties using a Schmidt Hammer." *Int. J. Rock Mech. Min. Sci.*, 2000, 37(4): 723-728. USA
- E4 **Goktan, R.M. and Gunes, N. 2005:** A comparative study of Schmidt hammer testing procedures with reference to rock cutting machine performance prediction. *International Journal of Rock Mechanics and Mining Sciences* 42, 466–72. Turkey
- E5 **Peter J. Tarkoy, 1973:** Predicting TBM penetration rates in selected rock types. Dep. Of Civil engineering, university of Illinois, 9th Canadian Symposium on rock mechanics, Montreal, Dec. 1973 USA
- E6 **Xu S., Grasso P., Mahtab A., 1990:** Use of Schmidt hammer for estimating mechanical properties of weak rock. Proc. 6th. International IAEG Congress, vol. v1, Balkema Rotterdam, pp. 511-519
- E7 **S. R. Torabi, M. Ataeo, M. Javanshir 2011:** Application of Schmidt hammer rebound number for estimating rock strength under specific geological conditions, Shahrood University Iran, journal of Mining & Environment Iran